

VOLA 500, 590, 500T1  
 VOLA 2500  
 VOLA SC1, SC3, SC5, SC7, SC9, SC10, SC12

Fitting instruction  
 Montageanleitung  
 Monteringsvejledning  
 Monteringsvægledning  
 Montage hanleiding  
 Manuel de montage



04/00027  
 04/00038



www.vola.com

500 - 2500\_V0\_40998137  
 02-10-2023








vola

**Data, 3 Bar /43.5 Psi:**

	l/min.	Gal/min.
500:	14,5	3.8
590:	9,0	2.4
500-T1:	11,0	2.9
2500:	18,7	4.9
SC1:	18,7	4.9
SC5, 7:	18,0	4.8
SC9:	11,0	2.9


Max. 65°C, 150°F

500/2500:






2500:



500: Ø10  
500US: Ø3/8"



VR1277K: VR22, VR2269, VR1277  
 VR434: 2xVR455, VR445, VR446, VR502  
 NR.11: VR20, VR22, VR1273, VR1274, VR1275



vola  
 Lunavej 2  
 DK-8700 Horsens  
 Tlf : + 45 7023 5500  
 sales@vola.com  
 www.vola.com

# VOLA 2500, SC1

Date  
Jan. 23

Rev.  
4

Sheet  
SB 10.15