


# VOLA KV1

Fitting instruction  
Montageanleitung  
Monteringsvejledning  
Monteringsvægledning  
Montage hanleiding  
Manuel de montage




04/00203  
04/00206



### Data, 3 Bar /43.5 Psi:


	l/min.	Gal/min.
KV1:	9,0	2.4
KV1US:	4,5	1.2

Max. 65°C, 150°F



Col. 02, 04, 05, 06, 08, 09,  
12, 14, 15, 16, 17, 18,  
19, 20, 21, 25, 27,  
60, 62, 63, 65, 66

Col. 40, 61, 64, 70



**1**

**2**

VR260


4 mm

**VR260**


Ø45 mm  
Ø1 3/4"  
> Ø32 mm  
> Ø1 1/2"



4



5




KV1L/KV1M





Operation  
Bedienung  
Betjening




Bruk  
Bediening  
Fonctionnement



Colour: 02, 04, 05, 06, 08, 09, 12, 14, 15, 16, 17,  
18, 19, 20, 21, 25, 27, 60, 62, 63, 65, 66



Cu:  
KV1: Ø10  
KV1US: Ø3/8"  
KV1Q: Ø3/8"



- NR.10/L/M: VR20, VR22, VR273/L/M, VR294, VR295  
 VR17L4K: VR15P, VR16L4, VR17L (US Standard)  
 VR17L5K: VR15P, VR16L5, VR17L  
 VR17L9K: VR15P, VR16L9, VR17L  
 VR17LSK: VR15P, VR16LS, VR17L  
 VR30: VR15P, VR16L9, VR17L, VR29, 4xVR31, VR35, VR1902 (F40) (and KV1 from 1972 - 1996)  
 VR132: VR15P, VR16L9, VR17L, 2xVR31, 2xVR558, VR1902 (2013 - 06. 2016)  
 VR133: VR15P, VR16L9, VR17L, VR24, 4xVR31, VR113, VR1902 (1997 - 2012)  
 VR230: VR15P, VR16L9, VR17L, 2xVR118, VR229, VR235, 4xVR558, VR1902 (06-2016 - )  
 VR117K: VR116, VR117, VR118, 2xVR558, VR1902  
 VR277K: VR22, VR269, VR277  
 VR297/L/M: VR20, VR22, VR269, VR273/L/M, VR277, VR294, VR295, VR296  
 VR433: VR261, VR263, VR440, VR442, 2xVR444



vola

Lunavej 2  
DK-8700 Horsens  
Tlf : + 45 7023 5500  
sales@vola.com  
www.vola.com

### KV1 Family:

KV1: /250, /300  
KV1L: /250, /300  
KV1M: /250, /300

Date

Jan. 23

Rev.

9

Sheet

SB25.2